


Approved For Release 2009/12/17 : CIA-RDP69B00041R001000010016-0



25 YEAR RE-REVIEW

CUSTOM 6729 / A 2D

Approved For Release 2009/12/17 : CIA-RDP69B00041R001000010016-0

CALL SIGNS			Approved For Release 2009/12				
Aircraft SEC			OILY 89	CAPON 37			
Control			OILY CONTROL	MOSSY			
GCI			STARGAZER				
T A	1st A/R	Lead	DREFT 71	HAITI 19			
		# 2	" 69	" 39			
		# 3					
E K	2nd A/R	Lead	GHOST 44*	HAITI 34			
		# 2	" 45*	" 23			
		# 3	" 46*	" 12			
Z R	3rd A/R	Lead					
		# 2					
		# 3					
Strip Alert		GHOST 48	GHOST 48				
UHF Freqs							
		Pri	Ch	Sec	Ch	Selector	
1st A/R		284.0	17	296.0	18	50061/2	
2nd A/R		389.0	19	394.0	20	50061/2	
3rd A/R							
Strip Alert		284.0	17	296.0	18	50061/2	
Control		393.1	4			INTERNAL	
GCI		278.4	12			INTERNAL	
HF-SSB							
Bird- watcher Freqs		FROM	TO	Primary	Secondary		
		T/O	1+07	18016	F	17924	K
		1+08	3+13	23315	H	23331	I
		3+14	LAND	17944	L	17968	G

IFF/SIF		3/6600		TACAN		80-90-100	
CODE WORDS				ABORT CODE			
Recall				Aircraft 11			
Diversion				Payload 12			
Frequency Change				Pilot 13			
Birdwatcher Valid.				Weather 14			
Kadena AWIS				X	8993		Recall 15
Kadena GCA				X	13267	Z 335	

*7 AF TACT C/S "AMBER ANCHOR"
ARC-50 CHK USE 348.5/15 SEL 60066/4 GND STA FOGGY

RECALL		
CONTROL TRANSMITS		CAPON 37 THIS IS MOSSY ADAIR (INS Dest) I REPEAT, ADAIR (INS Dest) OVER
ACFT TRANS	IN-SIDE	APPROPRIATE A&B OR B&A BW CODES
	OUT-SIDE	MOSSY THIS IS CAPON 37 ROGER (INS Dest) I REPEAT, ROGER (INS Dest) OUT

ABORT		
ACFT TRANS	IN-SIDE	APPROPRIATE A&B OR B&A BW CODES
	OUT-SIDE	MOSSY THIS IS CAPON 37 (Abort Code Nr) (INS Dest) I REPEAT, (Abort Code Nr) (INS Dest) OVER
CONTROL TRANSMITS		CAPON 37 THIS IS MOSSY ROGER (INS Dest) OUT

DIVERT		
AIRCRAFT TRANSMITS		MOSSY THIS IS CAPON 37 DANGER (INS Dest) I REPEAT, DANGER (INS Dest) OVER
CONTROL TRANSMITS		CAPON 37 THIS IS MOSSY DANGER (INS Dest) I REPEAT, DANGER (INS Dest) PLEASE ACKNOWLEDGE OVER
RE-SPONSE	CONT	CAPON 37 THIS IS MOSSY ROGER (INS Dest) OUT
	ACFT	MOSSY THIS IS CAPON 37 ROGER (INS Dest) I REPEAT, ROGER (INS Dest) OUT

BIRDWATCHER PROCEDURES		
PROCEDURE		MEANING
"A"	1.	BW SENSES PROBLEM OR MALFUNCTION BUT PILOT HAS PROBLEM UNDER CONTROL.
	2.	AT PRE-BRIEFED PNTS ON ROUTE SEND ACK
"B"		AT OPTION POINT AND TAKING OPTION
"A" (20 SECOND PAUSE)		ABORTING AND PROCEEDING TO BRIEFED DEFINITION.
"B" (20 SECOND PAUSE)		ABORTING AND PROCEEDING TO BRIEFED
"A"		ABORTING
BIRDWATCHER VALIDATION PROCEDURE		
AT 10 MINUTES AFTER T.O., PRESS "A" AT TWO MINUTE INTERVALS UNTIL CONTROL ANSWERS (TIMOTHY) OR UNTIL WITHIN 100 NM OF PENETRATION POINT		

